

SAFETY DATA SHEET

Making pest control smarter.™

Issuing Date 30-Oct-2014

Revision Date 17 September 2020

Revision Number 8

**(U)** 

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product Name	Rescue! TrapStiks for Deck & Patio, Flies, Biting Flies, Wasps, and Carpenter Bees
Other means of identification	
Model Numbers	TSBF, TSF, TSW, CBTS
Recommended use of the chemical	and restrictions on use
Recommended Use	Flying Insect Adhesive Glue Trap – Non-Aerosol + No insecticides/pesticides/toxicants + No Chemical Attractants/Lures
Uses advised against	No information available
Details of the supplier of the safety	data sheet_
Supplier Name Supplier Address	Sterling International, Inc 3808 N Sullivan Rd Bldg 16 Spokane Valley, WA 99216 USA
Supplier Phone Number	Phone:509-926-6766 Fax:509-928-7313
Supplier Email Emergency telephone number	info@rescue.com 509-926-6766

# 2. HAZARDS IDENTIFICATION

## **Classification**

This product(s) does not contain chemicals considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)



## GHS Label elements, including precautionary statements

	Emergency Overview		
	Signal Word: WARNING		
Hazard Statement	ite ·		
H228 Flammable			
Precautionary Sta			
P210	Keep away from heat/sparks/open flames/hot surfaces-no smoking		
P235 P271	Keep cool Use only outdoors or in well-ventilated area.		
P302+P352	IF ON SKIN: Wash with plenty of soap and water		
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and	nd eas	y to do
Continue rinsing. P501	Dispose of contents/container in accordance with local regulations		
The product contain	ins no substances which at their given concentration, are considered to be hazardous to health		
Appearance Co	olored Pattern Physical State Paper Solid	Odor	None

# Precautionary Statements - Prevention None

# Precautionary Statements - Response None

**Precautionary Statements - Storage** Store in a cool, dry, well-ventilated location out of reach of children and pets.

# Precautionary Statements - Disposal None

Hazards not otherwise classified (HNOC) Not applicable

Other information May cause slight eye irritation.



## Interactions with Other Chemicals

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Supplier Trade Secret	Proprietary	60 - 100	*
*The exa	act percentage (concentration) of composition has	been withheld as a trade	secret
	4. FIRST AID MEASUR	RES	
First aid measures			
General Advice	Show this safety data sheet to the c	loctor in attendance.	
Eye Contact	In case of eye contact with trap's glue also under the eyelids. If symptoms		
Skin Contact	In case of skin contact with trap's gl	lue, adhesive can be re	moved with mineral

Skin Contact	In case of skin contact with trap's glue, adhesive can be removed with mineral oil,
	baby oil or petroleum jelly (Vaseline <sup>®</sup> ). After removing adhesive, wash affected area
	with soap and water. In the case of skin irritation or allergic reaction see a physician.

Ingestion	Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a
	physician.

# Most important symptoms and effects, both acute and delayed

# Most Important Symptoms and None Effects

# Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.



# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None

# Specific Hazards Arising from the Chemical

No information available.

# **Hazardous Combustion Products**

Carbon oxides.

#### Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** 

**Environmental Precautions** 

Avoid contact with eyes.

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Handling trap's glue and eyes.

#### Conditions for safe storage, including any incompatibilities

Storage	Store in a cool, dry, well-ventilated location out of reach of children and pets.
Incompatible Products	None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Supplier Trade Secret	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
	_	TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
		(vacated) TWA: 15 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

#### Appropriate engineering controls

Showers	
Eyewash stations Ventilation systems	

## Individual protection measures, such as personal protective equipment

Eye/Face Protection	No special protective equipment required.
Skin and Body Protection	No special protective equipment required.
Respiratory Protection	No protective equipment is needed under normal use conditions. If irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and Chemical Properties**

Physical State Appearance Color	Paper Solid Printed Pattern Bright Colors	Odor Odor Threshold	None No information available
Property pH Melting / freezing point Boiling point / boiling range Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit Lower flammability limit Vapor pressure Vapor density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octanol/wate Autoignition temperature	Values Not applicable No data available No data available	<u>Remarks/ Method</u>	



Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing Properties

#### **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available No data available No data available No data available

Not applicable 0.0% No data available

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### **Conditions to avoid**

None known based on information supplied.

#### Incompatible materials

None known based on information supplied.

#### **Hazardous Decomposition Products**

Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information Inhalation	Product does not present an acute toxicity hazard based on known or supplied information Specific test data for the mixture is not available.
Eye Contact	Contact with trap's adhesive may cause irritation with temporary redness, stinging and tearing.
Skin Contact	Contact with trap's adhesive may cause skin irritation.
Ingestion	Ingestion causes irritation and gastrointestinal disturbance due to the paper, plastic, and adhesive components of the trap.

### **Component Information**

Chemical Name Oral LD50		Dermal LD50	Inhalation LC50	



Supplier Trade Secret	> 5 g/kg (Rat)	> 2 g/kg (Rabbit)	> 5800 mg/m³ (Rat)4 h

### Information on toxicological effects

Symptoms Contact with trap's adhesive may cause mild eye or skin irritation.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.			
Mutagenic Effects	No information available.			
Carcinogenicity	Contains no ingredient listed as a carcinogen.			
Reproductive Toxicity	No information available.			
STOT - single exposure	No information available.			
STOT - repeated exposure	No information available.			
Chronic Toxicity	No known effect based on information supplied.			
Target Organ Effects	None known.			
Aspiration Hazard	No information available.			
Numerical measures of toxicity Product Information				

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

The environmental impact of this product has not been fully investigated.

#### Persistence and Degradability

No information available.

# Bioaccumulation

No information available

## Other adverse effects

No information available.



# **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes N/A (No active pesticidal materials in the product(s).

# **14. TRANSPORT INFORMATION**

DOT Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR_	Not regulated
ADN	Not regulated

# **15. REGULATORY INFORMATION**

## International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations



#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

## California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

#### International Regulations

Canada WHMIS Hazard Class Non-controlled

## **16. OTHER INFORMATION**

NFPA	Health Hazards	1	Flammability	0 Instability 0		Physical/Chemical Hazards 0
HMIS	Health Hazards	1	Flammability	0 Physical Hazard	0	Personal Protection X
Prepared E	-			van RD BLDG 16 lley, WA 99216		
Issuing Da Revisions			30 October 20 17 September			
Revision N			Signal Word a	and Pictogram added. Section 1 use statemer		zard and precautionary statements added. d the Section 13 CA 232 waste code. Glue

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text



